MULTIMEDIA		UNIVERSITY
------------	--	------------

STUDENT	'ID NO	· · · · · · · · · · · · · · · · · · ·
	SEAT NO	O
VENUE.		

<b>VENUE:</b>	

# MULTIMEDIA UNIVERSITY

# FINAL EXAMINATION

TRIMESTER 1, 2017/2018

## PMT0301 - MATHEMATICS III

(All sections/ Groups)

16 OCTOBER 2017 2.30 p.m. – 4.30 p.m. (2 Hours)

Question	Marks
1	/10
2	/10
3	/10
4	/10
Total	/40

### INSTRUCTIONS TO STUDENTS

- 1. This question paper consists of NINE printed pages excluding cover page and statistical table.
- 2. Answer ALL FOUR questions. All questions carry equal marks and the distribution of the marks for each question is given.
- 3. Please write all your answers in the QUESTION BOOKLET. All necessary working steps MUST be shown.

a) Find the parametric equations of the line passing through the point (2, -1, 3) and parallel to the line  $\frac{1}{5}(x+4) = y-3 = -\frac{1}{2}z$ . (2 marks)

b) Find an equation of the plane which passes through (1, -1, 2) and parallel to 2x - 5y + z = 3. (2.5 marks)

Continued..

<u>c)</u>	Express $0.00\overline{25}$ as a fraction.	Simplify your answer.	(2.5 marks)
			4
			Ser .
			20

d)	Find the coefficient that contains x	in the expansion of	$\left(\frac{1}{x}+2x^2\right)^9.$	(3 marks)

2/9

NSL

a) Given the following system of linear equations:

$$x-2y+z = -4$$


$$-y+3z = -7$$

$$x+2y=2$$

Find the inverse matrix by using its adjoint, and hence solve the system of linear equations by using inverse method.

(5 marks) Continued... NSL

b) Below is the histogram for the time spent (in minutes) by a random sample of 40 students in MMU library.



i) Based on the histogram, construct a frequency distribution table.	(1 marks)
	(1 marks)

ii) Calculate the mode.	Give your answer correct to 1 decimal place. (	1.5 marks)
	•	
1		
		0
		100

Continued...

iii) Calculate the standard deviation.	Give your answer correct to 2 decimal p	laces.
		(2.5 marks)
. 4		
		150
	·	
		8.
		-

a) An English lecturer wants to split a class of 10 stude. One group will have four students while the other two each.	nts into three discussion groups. groups consist of three students
i) In how many ways can the lecturer form the group	os? (1.5 marks)
	(1.5 marks)
	ē
ii) The lecturer assigns one student as the group leader	and another student as the
secretary for each group. In how ways can the class	s be split? (1.5 marks)
	(The Marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random is selected at random.	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random is selected at random is selected at random.	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random, find the probability that at least three selected at random selected at random.	s and 8 teas. If five bottles are e are coffees. (2 marks)
b) Given 12 bottles of beverages which contain 4 coffees selected at random, find the probability that at least three	s and 8 teas. If five bottles are e are coffees. (2 marks)

c) Table below shows a study between smoking and dementia among 1000 senior citizens:

	No Dementia	Dementia
Smoker	95	375
Non-smoker	480	50

i)	Suppose a person is selected at random from the study, find the	e probability that the
	person is a non-smoker or he/she has dementia.	(1.5 marks)
1		

ii)	Determine whether	the events "De	mentia" and '	'Smoking'' ar	e indepen	dent.
						(3.5 marks

a) You are offered to play a game in either one of the methods below:

Method A: 6 dice were thrown simultaneously. You will win if you get at least one dice with the number on the uppermost face is '6'.

Method B: 18 dice were thrown simultaneously. You will win if you get at least three dice with the number on the uppermost face is '6'.

Assume all the your answer.	e dice are a fair dice.	Which method would you cho	oose to play? Explain (5 marks)
			(
			180
			·

b	The average number of landed properties sold by a real estate agent is week. Assume that the sales follow a Poisson distribution, find the program will sell exactly these sales.	2 properties perbability that ar
	agent will sell exactly three properties on two consecutive weeks.	(2 marks)
c)	Suppose the number of games in which badminton players play is normal with the mean of 150 games and variance of 900 games. How many players will play in more than 200 games?	ally distributed percent of the (3 marks)
		(5 22222)
i		

The Normal Distribution Function

×	(x)0	×	(X)O	•	(λ)Ψ	TOTAL PLANE		2000
00.0	0.5000	0:20	0.6915	1.00	0.8413	¥ 53 F	(x)	
0.01	0.5040	0.51	0.6950	1.01	0.8438	151	0.9332	Ì
0.02	0.5080	0.52	0.6985	1.02	0.8461	157	0.957	
0.03	0.5120	0.53	0.7019	1.03	0.8485	1.52	0.5337	NOT THE OWNER.
0.04	0.5160	0.54	0.7054	1.04	0.8508	1.54	0.5550	2.03 0.9
0.05	0.5199	0.55	0.7088	1.05	0.8531	1.55	70550	9
90.0	0.5239	0.56	0.7123	1.06	0.8554	1.56	0.9406	
0.07	0.5279	0.57	0,7157	1.07	0.8577	1.57	0.5400	
0.08	0.5319	0.58	0.7190	1.08	0.8599	1.58	0.9479	
0.09	0.5359	0.59	0,7224	1.09	0.8621	1.59	0.9441	
0.10	0.5398	09.0	0.7257	1.10	0.8643	1.50	0.9441	
0.11	0.5438	0.61	0.7291	1.11	0.8665	1,61	0.3432	
0.12	0.5478	0.62	0.7324	1.12	0.8686	1.01	0.2463	
0.13	0.5517	0.63	0,7357	1.13	0.8708	1.62	0.3474	2000000
0.14	0.5557	0.64	0.7389	1.14	0.8729	1.63	0.9464	
0.15	0.5596	9.02	0.7422	1.15	0.8749	1 65	0.3493	
0.16	0.5636	99.0	0.7454	1.16	0.8770	1.66	0.9303	
0,17	0.5675		0.7486	1.17	0.8790	1.67	0.525	200
0.18	0.5714	0.68	0.7517	1.18	0.8810	1.68	0.5525	
0.19	0.5753	69'0	0.7549	1,19	0.8830	1.69	0.9555	8
0.20	0.5793	0.70	0.7580	1.20	0.8849	1.70	0.9554	
0.21	0.5832	0.71	0.7611	1.21	0.8869	1.71	0.9564	K7402000
0.22	0.5871	0.72	0.7642	1.22	0.8888	1.72	0.5553	
0.23	0.5910	0.73	0,7673	1.23	0.8907	1.73	0.5582	1000
0.24	0.5948	0.74	0.7704	1.24	0.8925	1.74	0.9591	
0.25	0.5987	0.75	0.7734	1.25	0.8944	1.75	56550	
0.26	. 0.6026	0.76	0.7764	1.26	0.8962	1.76	8096.0	
0.27	0.6064	0.77	0.7794	1.27	0.8980	177	0.500	200
0.28	0.6103	0.78	0.7823	1.28	0.8997	1.78	0.9625	2.27 0.98
0.29	0.6141	0.79	0.7852	1.29	0.9015	1.79	0.9633	
0.30	0.6179	0.80	0.7881	1.30	0.9032	1.80	0.9641	386.0 67.7
0.31	0.621/	0.81	0.7910	1.31	0.9049	1.81	0.9649	
0.32	0.6255	0.82	0.7939	1.32	0.9066	1.82	0.9656	38.0 T.S.Z
0.33	0.6293	0.83	0.7967	1.33	0.9082	1.83	0.9664	
0.34	0.0351	0.84	0.7995	1.34	0.9099	1.84	0.9671	
0.35	0.6306	0.85	0.8023	1.35	0.9115	1.85	0.9678	
0.37	0.0400	78.0	0.8051	1.36	0.9131	1.86	0.9686	
0.38	0.6480	880	0.0078	1.37	0.9147	1.87	0.9693	
0.39	0.6517	90.0	0.6100	1.38	0.9162	1.88	0.9699	
0.40	0.6554	0.00	0.8159	1.33	0.9177	1.89	9079.0	2.39 0.991
0.41	0.6591	0.91	0.8186	1.40	2616.0	1.90	0.9713	
0.42	0.6628	0.97	0.0120	1.4.1	0.9207	1.91	0.9719	2.41 0.992
0.43	0.6664	0.93	0.8238	74-7	0.9222	1.92	0.9726	
0.44	0.6700	0.94	0.8264	1 44	0.02530	1.04	0.9732	2.43 0.992
0.45	0.6736	0.95	0.8289	1.45	0.9265	1.34	0.9/38	-
0.46	0.6772	0.96	0.8315	1.46	0.9279	1.96	0.9750	
0.47	0.6808	0.97	0.8340	1.47	0.9292	1.97	0.2756	
0.48	0.6844	0.98	0.8365	1.48	0.9306	1.98	0 9761	
0.49	0,6879	0.99	0.8389	1.49	0.9319	1.99	2926.0	
0.50	0.6915	1.00	0.8413	1.50	0.9332	2.00	0.9772	2.49 0.993(
								2.30 0.393

Ф(X) 0.95977 0.99978 0.99978 0.99980 0.99981 0.99982 0.99983 0.99983 0.99985 98666.0 0.99984 0.99988 3,99986 0.99987 0.99989 06566'0 0.99990 0.99992 0.99992 0.99932 0.99993 0.99993 0.99994 .99987 0.99995 0.99996 0.99996 0.99996 0.99996 0,99995 3.86 0.99886 0.99889 0.99893 0.99900 0.99910 0.99918 0.99924 0.99926 0.99929 0.99931 0.99896 0.99903 0.99906 0.99913 0.99916 0.99938 0.99940 0.99942 0.99946 0.99948 0.99952 0.99953 0.99955 0.99936 0.99934 0.99965 0.99966 0.99969 0.99970 0.99971 0.99957 0.99960 0.99962 0.99964 3.31 3.29 3.33 3.35 3.27 3.32 3.37 3.36 3.38 Φ(X) 0.99379 0.99396 0.99430 0.9946 0.99461 0.99477 0.99492 0.99520 0.99534 0.99560 0.99560 0.99573 0.99585 0.99588 0.99621 0.99506 0.99664 0.99702 0.99711 0.99720 0.99728 0.99736 0.99643 0.99653 0.99609 0.99632 0.99683 0.99752 0.99760 0.99767 0.99774 0.99781 0.99693 0.99795 0.99807 0.99744 0.99819 0.99831 0.99836 0.99841 0.99846 0.99851 0.99856 2.63 2.65 2.67 2.69 .64 2.70 2.72 2.74 2.78 2.79 2.80 2.81 2.89 2.91 2.82 2.85 2.92 Ф(X) 97778 97831 97832 97882 97932 97982 38077 38124 98169 98214 98257 98360 98341 98382 98422 88461 8500 8550 8645 8679 8713